



# PROBite<sup>®</sup>+

## List Pricing

May 4, 2017

Pricing effective May 4, 2017, is subject to change without notice. This pricing revision replaces all previously stated pricing communications.

*Note: Given the market volatility of commodity metals such as copper, please check with the factory before providing contract or extended term pricing.*

### Quick Fitting, Inc.

30 Plan Way

Warwick, Rhode Island 02886

Tel: (401) 734-9500

Fax: (401) 734-9501

[www.quickfitting.com](http://www.quickfitting.com)



# Quick Fitting<sup>®</sup>

[www.quickfitting.com](http://www.quickfitting.com)

# OUR STORY

## Quick Fitting, Inc.

PLUMBING  
HEATING  
IRRIGATION

Copyright Quick Fitting Inc.

### About Quick Fitting

*We believe in connecting consumers to technology that is not only cost effective - but smart, clean, and reliable. Just cut your pipe or tubing, mark the insertion depth and push to make a connection you can count on – with Zero Hassle. Patented, assembled & packaged in the United States*  
***Our technology is profitable, intelligent, and safe.***

We have a solution for nearly every plumbing and heating and irrigation application – Since our inception, we have designed our products to help our users increase efficiency as well as profitability. No open flames or sealants needed, just quickly clean the end of the tube and push into place.



**No Pricy Crimping Tools – Messy Glues – or Hazardous Soldering.**

*For plumbing professionals, the increased speed offers the ability to complete more jobs in less time, **increasing** the number of daily service calls and profitability.*

### Unrivaled Push-to-Connect Technology

From the beginning in 2004, our focus has been exclusively on creating the best quality, most user-friendly product available – *A mission that has earned us the plant engineering “Product of the Year” Award – Twice.*

*Our mission is to stay on the cutting edge. Constantly researching, testing, adapting, and developing new technology - We have quickly become the Push to Connect plumbing technology that the Professionals trust.*

**Quick Fitting**®

*Quick Fitting Inc. is the brain behind the world’s cleanest - most intelligent Push to Connect Technology.*

### INDUSTRIES’ LARGEST SELECTION

With over 190 SKUs in ProBite+ alone, we offer the widest selection of Push to connect technology.

OUR TECHNOLOGY IS COMPATIBLE WITH  
COPPER - PEX & CPVC PIPING.



### INNOVATED IN AMERICA

*Our world headquarters in Warwick, RI has in-house team of designers, engineers, and quality personnel – providing our customers with the superior Push to Connect Technology*

Connect with us on social media



# PROBite<sup>®</sup>+

## Lead Law Compliant Products

Your Customers Want to be

# GRIPPED BY A PRO.

*It's publicly established that Arsenic is a highly toxic material – a toxin that is widely perceived as being out of use. However, this is unfortunately not the case.*

Many are unaware that there is currently arsenic and lead in the fittings traditionally used in potable water systems. Consequently, the very water systems used for both cooking and consumption could be constantly passing through hundreds of contaminated fittings.

In January 2011, the U.S. Safe Drinking Water Act was signed into law. The law took effect nationwide on January 4, 2014. By 2014, all plumbing fittings used in water systems for cooking and potable water must be Lead-Compliant.

In addition to our Lead Law compliant brass, ProBite+<sup>®</sup> fittings and valves are tested and certified to be dezincification resistant. In addition, the high-performance seals used in our push fit products are tested and proven to be Chloramine resistant.

*(right) In 2006, California passed the AB1953 Lead Law, the law mandates that Arsenic & Lead levels on products used in a potable water system must be \*lead compliant - or contain less than .25 percent lead.*

### OTHER FITTINGS CAN BE TOXIC!

Did you know existing Brass Faucets, Controls, Fittings and Valves in your plumbing system may contain high levels of Arsenic?

CERTIFIED



International Association of Plumbing and Mechanical Officials

CERTIFIED™  
De-zincification Resistant



IAPMO TESTED  
Chloramine Resistant

NSF/ANSI  
STANDARD 61



## ProBite+<sup>®</sup> Installation - Cut, Clean, Mark-it, Push to Connect - You're Done!

- Cut the Tubing**  
Use on PEX, Copper & CPVC
- Use a Deburring Tool**  
to ensure the proper connection without damage to the sealing rings  
  
Cut, clean & deburr (remove sharp edges)
- Mark It.**  
the insertion depth on the outside of the tubing  
  
**INSERTION DEPTH**  
1/4 in = 1/2"  
3/8 in = 3/4"  
1/2 in = 1"  
3/4 in = 1 1/16"  
1 in = 1 5/16"  
\*Insert a Hi-flo stiffener when using PEX tubing  
**Push It.** Push the fitting on the tube to the insertion depth  
NOTE: Fittings may be rotated left or right during installation
- Properly installed fittings meet the insertion depth mark**  
  
Never hammer or strike the fitting.  
Do not use pliers or crush the push head.  
Do not use sealants or adhesives on the push fitting.  
The fitting may be turned or repositioned after the installation. Always pressure test your system to ensure a proper installation

## ProBite+<sup>®</sup> Patented Smart Release Slip Clip™ Technology

**Smart Release Tool**  
Herramienta de Remocion

- Slide the Smart Release Slip Clip™ over the Fitting Connection**  
Deslice el clip de la eliminación en la conexión de ajuste
- Press Downward Until the Tubing is Released.**  
Presione hacia abajo hasta que se suelta el tubo
- Pull the Tubing from the Fitting**  
Tire de la tubería de la instalación



Connect with a Pro.



# PROBite<sup>®</sup>+

## Push to Connect Plumbing Products

**ProBite+<sup>®</sup> Delivers Superior Technology, premium quality, value pricing – as well as the widest selection of any competitive push fit brand.**

### Probite Plus<sup>®</sup> - The Brand the Professionals Trust

ProBite+ Lead Free fittings provides users with technology that not only protects your hands, and your health – but their affordability and smart technology of use protects your time & your wallet, too.

### SMART RELEASE TOOL

**NO HASSLE OR FRUSTRATION IN TRICKY APPLICATIONS**



*The Probite+ line features a more secure connection than standard fittings, all while giving the user full control through our smart release tool.*

With our patented release tool you can easily remove, reposition, and reuse our fitting over and over.

Probite+ is the most extensive push fit brand offering available today. With over 190 SKUs in brass push fitting technology, professionals will choose ProBite+\* for its advanced technology, extensive selection, premium quality and value pricing.

ProBite +\* lead-free brass includes design enhancements that deliver increased sealing performance, as well as the industry's lowest insertion forces for push fit products.

*In addition to our American made fastening technology, all of our fitting products are individually inspected, assembled (100%) and packaged in the United States.*



### WORK DOESN'T NEED TO BE HARD

*Just cut your pipe or tubing, mark the depth and push to connect – with none of the jiggling, force, or frustration that you may be used to.*

OUR PUSH TO CONNECT TECHNOLOGY IS COMPATIBLE WITH COPPER, PEX AND CPVC PIPING.

### WHY GO WITH THE PRO?

- ✓ **Extensive Product Offering**
  - Over 190 SKUS!
- ✓ **Superior Grip Technology**
  - In House Design + Engineering
- ✓ **Expansive Merchandising**
  - Constantly Growing to Support You!
- ✓ **Proven Performance**
- ✓ **Advanced Design**
- ✓ **Competitive Pricing**



**PUSH-FIT USA**  
Assembled in the U.S. & Global Parts




**Smart Release Tool**  
Our patented release tool is the world's fastest, most intelligent, release tool on the market today.

**Patented Un-Coined Design**

**Innovative Stop Shield Retainer™**  
The intelligent design of our push to connect fittings out performs all other technology!

**Low Force Insertion**

**Patented Stop Shield**



-  Plumbing
-  Heating
-  Outdoor Plumbing
-  Marine
-  RV & Mobile Homes

## THE PLUS ADVANTAGE

**Largest Product Offering**  
Over any other push fit brand.

**Best Performance + Durability**  
Over any other plumbing fitting - so durable, in fact, we offer the industries' longest warranty

**Exclusive Patented Technology**  
Probite+\* features proprietary - patented innovations like our exclusive

**Stop Shield Retainer™**  
**Smart Release Tool™**

Making our unrivaled technology...  
**Simply Superior.**



## PROBite<sup>+</sup> Couplings



Part Number	Product Description	Bag QTY	Box QTY	List Price	Code
LF881	¼" x ¼" Straight Coupling, Lead-free	1	60	\$7.19	C
LF801	3/8" x 3/8" Straight Coupling, Lead-free	1	50	\$8.39	C
LF811	½" x ½" Straight Coupling, Lead-free	1	40	\$7.09	C
LF811PBY	½" x ½" Polybutylene Transition Coupling	1	40	\$7.39	C
LF821	¾" x ¾" Straight Coupling, Lead-free	1	30	\$8.49	C
LF821PBY	¾" x ¾" Polybutylene Transition Coupling	1	30	\$8.79	C
LF831	1" x 1" Straight Coupling, Lead-free	1	25	\$16.59	C
LF851	1 ¼" x 1 ¼" Straight Coupling, Lead-free, Dual Seal Technology	1	10	\$49.36	C
LF861	1 ½" x 1 ½" Straight Coupling, Lead-free, Dual Seal Technology	1	6	\$71.70	C
LF871	2" x 2" Straight Coupling, Lead-free, Dual Seal Technology	1	4	\$93.51	C

## PROBite<sup>+</sup> Repair Coupling



Part Number	Product Description	Bag QTY	Box QTY	List Price	Code
LF817	½" x ½" Repair Coupling, Lead-free, w/ Disconnect Tool (PB711)	1	30	\$15.49	C
LF827	¾" x ¾" Repair Coupling, Lead-free, w/ Disconnect Tool (PB721)	1	20	\$18.69	C
LF837	1" x 1" Repair Coupling, Lead-free, w/ Disconnect Tool (PB731)	1	10	\$26.49	C



## PROBite+ Slip Repair Tees



Part Number	Product Description	Bag QTY	Box QTY	List Price	Code
LF8147	1/2" x 1/2" x 1/2" Slip Tee, Lead-free, w/ Tool	1	20	\$18.51	C
LF8147F	1/2" x 1/2" x 1/2" FNPT Slip Tee, w/ Disconnect	1	20	\$19.29	C
LF8247	3/4" x 3/4" x 3/4" Slip Tee,, Lead-free, w/ Tool	1	15	\$21.79	C
LF8247F	3/4" x 3/4" x 3/4" FNPT Slip Tee, w/ Disconnect	1	15	\$22.49	C

## PROBite+ Reducing Coupling



Part Number	Product Description	Bag QTY	Box QTY	List Price	Code
LF8408	3/8" x 1/4" Reducing Coupling, Lead-free	1	50	\$8.39	C
LF8401	3/8" x 1/2" Reducing Coupling, Lead-free	1	50	\$8.49	C
LF841	3/4" x 1/2" Reducing Coupling, Lead-free	1	30	\$9.09	C
LF8413	1" x 3/4" Reducing Coupling, Lead-free	1	25	\$18.19	C
LF8451	1 1/4" x 1" Reducing Coupling, Lead-free, Dual Seal Technology	1	10	\$49.36	C
LF8461	1 1/2" x 1 1/4" Reducing Coupling, Lead-free, Dual Seal Technology	1	6	\$71.70	C
LF8471	2" x 1 1/2" Reducing Coupling, Lead-free, Dual Seal Technology	1	5	\$93.51	C

## PROBite+ Copper Tube Size Adapters



Part Number	Product Description	Bag QTY	Box QTY	List Price	Code
LF8338	1/2" CTS x 3/8" Push Reducer, Lead-free	1	30	\$10.39	C
LF8348	3/4" CTS x 3/8" Push Reducer, Lead-free	1	30	\$10.99	C
LF8138	1" CTS x 1/2" Push Reducer, Lead-free	1	24	\$13.79	C
LF8238	1" CTS x 3/4" Push Reducer, Lead-free	1	24	\$15.59	C
LF8228	3/4" CTS x 3/4" FNPT, Lead-free, WH Adapter	1	32	\$15.09	C

\* Used to reduce tube sizing, leaving a male copper tube size (CTS) adapter end.

\*ProBite Plus®, Push Connect®, Quick Fitting®, Locjaw® and "Overbuilt, not Over-priced"® are registered trademarks of Quick Fitting, Inc. These materials are the copyright of Quick Fitting, Inc. 2015 – All rights reserved.

## No Other Push Fit Company Compares...

- Leading innovator with 28 current connection technology patents.
- Dozens of new technologies, U.S. & Foreign patents pending.
- Constantly Improving with a tremendous pipeline of new inventions in many industries.
- More patents in push fit technology than any other company in the world.



**"Our Mission** - We will continue our hyper-growth through the invention and manufacture of game changing innovations in push technology".

## PROBite+ Adapters

Part Number	Product Description	Bag QTY	Box QTY	List Price	Code
LF882F	¼" x ¼" FNPT Straight Female Adapter, Lead-free	1	60	\$6.79	C
LF802F	3/8" x 3/8" FNPT Straight Female Adapter, Lead-free	1	50	\$6.99	C
LF840F	3/8" x ½" FNPT Straight Female Adapter, Lead-free	1	50	\$7.09	C
LF812F	½" x ½" FNPT Straight Female Adapter, Lead-free	1	40	\$6.79	C
LF822F	¾" x ¾" FNPT Straight Female Adapter, Lead-free	1	30	\$7.39	C
LF842F	½" x ¾" FNPT Straight Female Adapter, Lead-free	1	30	\$7.59	C
LF832F	1" x 1" FNPT Straight Female Adapter, Lead-free	1	25	\$12.99	C
LF8322F	1" x ¾" FNPT Straight Female Adapter, Lead-free	1	25	\$12.29	C
LF852F	1 ¼" x 1 ¼" FNPT Straight Female Adapter, Lead-free, Dual Seal Technology	1	10	\$44.68	C
LF862F	1 ½" x 1 ½" FNPT Straight Female Adapter, Lead-free, Dual Seal Technology	1	8	\$ 64.42	C
LF872F	2" x 2" FNPT Straight Female Adapter, Lead-free, Dual Seal Technology	1	6	\$ 84.15	C



LF882M	¼" x ¼" MNPT Straight Male Adapter	1	60	\$6.19	C
LF802M	3/8" x 3/8" MNPT Straight Male Adapter	1	50	\$6.29	C
LF840M	3/8" x ½" MNPT Straight Male Adapter	1	50	\$6.69	C
LF812M	½" x ½" MNPT Straight Male Adapter	1	40	\$5.79	C
LF842M	½" x ¾" MNPT Straight Male Adapter	1	30	\$7.29	C
LF822M	¾" x ¾" MNPT Straight Male Adapter	1	30	\$7.59	C
LF8233M	¾" x 1" MNPT Straight Male Adapter	1	25	\$12.29	C
LF8322M	1" x ¾" MNPT Straight Male Adapter	1	25	\$12.39	C
LF832M	1" x 1" MNPT Straight Male Adapter	1	25	\$13.69	C
LF852M	1 ¼" x 1 ¼" MNPT Straight Male Adapter, Lead-free, Dual Seal Technology	1	10	\$44.68	C
LF862M	1 ½" x 1 ½" MNPT Straight Male Adapter, Lead-free, Dual Seal Technology	1	8	\$64.41	C
LF872M	2" x 2" MNPT Straight Male Adapter, Lead-free, Dual Seal Technology	1	6	\$84.15	C



## PROBite+ Elbows

Part Number	Product Description	Bag QTY	Box QTY	List Price	Code
LF883	¼" x ¼" Elbow, Lead-free	1	60	\$8.99	C
LF8833F	¾" GH x ¼" Dishwasher Elbow, Lead-free	1	30	\$10.99	C
LF803	3/8" x 3/8" Elbow, Lead-free	1	40	\$9.29	C
LF813	½" x ½" Elbow, Lead-free	1	40	\$7.99	C
LF823	¾" x ¾" Elbow, Lead-free	1	25	\$10.89	C
LF843	¾" x ½" Elbow, Lead-free	1	25	\$10.89	C
LF833	1" x 1" Elbow, Lead-free	1	15	\$19.29	C
LF8343	1" x ¾" Reducing Elbow, Lead-free	1	15	\$24.89	C
LF853	1 ¼" Elbow, Lead-free, Dual Seal Technology	1	8	\$54.03	C
LF863	1 ½" Elbow, Lead-free, Dual Seal Technology	1	5	\$78.95	C
LF873	2" Elbow, Lead-free, Dual Seal	1	3	\$102.85	C



## PROBite+ Drop Ears



Part Number	Product Description	Bag QTY	Box QTY	List Price	Code
LF803D	3/8" x 3/8" FNPT Elbow Drop Ear, Lead-free	1	40	\$10.39	C
LF800D	3/8" x 1/2" FNPT Elbow Drop Ear, Lead-free	1	40	\$10.69	C
LF810D	1/2" x 1/2" Elbow Drop Ear, Lead-free	1	40	\$10.57	C
LF810FH	1/2" x 1/2" FNPT Elbow Hy-Ear, Lead-free	1	40	\$10.55	C
LF813D	1/2" x 1/2" FNPT Elbow Drop Ear, Lead-free	1	40	\$10.19	C
LF820D	3/4" x 3/4" FNPT Elbow Drop Ear, Lead-free	1	25	\$15.59	C

## PROBite+ Elbows



Part Number	Product Description	Bag QTY	Box QTY	List Price	Code
LF803F	3/8" x 3/8" FNPT Elbow, Lead-free	1	40	\$ 8.69	C
LF813F	1/2" x 1/2" FNPT Elbow, Lead-free	1	40	\$ 7.69	C
LF823F	3/4" x 3/4" FNPT Elbow, Lead-free	1	30	\$11.22	C



LF803M	3/8" x 3/8" Elbow MNPT, Lead-free	1	40	\$ 8.59	C
LF813M	1/2" x 1/2" Elbow MNPT, Lead-free	1	40	\$ 7.49	C

## PROBite+ Tees



Part Number	Product Description	Bag QTY	Box QTY	List Price	Code
LF884	1/4" x 1/4" x 1/4" Tee, Lead-free	1	60	\$11.89	C
LF804	3/8" x 3/8" x 3/8" Tee, Lead-free	1	30	\$12.89	C
LF814	1/2" x 1/2" x 1/2" Tee, Lead-free	1	30	\$10.99	C
LF824	3/4" x 3/4" x 3/4" Tee, Lead-free	1	20	\$14.69	C
LF824F	3/4" x 3/4" x 3/4" FNPT Tee, Lead-free	1	20	\$16.16	C
LF834	1" x 1" x 1" Tee, Lead-free	1	15	\$24.69	C
LF834F	1" x 1" x 1" FNPT Tee, Lead-free	1	15	\$25.24	C
LF854	1 1/4" x 1 1/4" x 1 1/4" Tee, Lead-free, Dual Seal Technology	1	6	\$93.50	C
LF864	1 1/2" x 1 1/2" x 1 1/2" Tee, Lead-free, Dual Seal Technology	1	3	\$135.06	C
LF874	2" x 2" x 2" Tee, Lead-free, Dual Seal Technology	1	2	\$178.70	C



LF8014	1/2" x 1/2" x 3/8" Reducing Tee, Lead-free	1	30	\$13.59	C
LF8024	3/8" x 3/8" x 1/2" Reducing Tee, Lead-free	1	30	\$13.59	C
LF844	3/4" x 3/4" x 1/2" Tee, Lead-free	1	20	\$13.19	C
LF815	3/4" x 1/2" x 1/2" Tee, Lead-free	1	20	\$14.09	C
LF825	3/4" x 1/2" x 3/4" Tee, Lead-free	1	20	\$14.69	C
LF835	1" x 1" x 3/4" Tee, Lead-free	1	10	\$22.89	C

## PROBite+ Arrestors



Part Number	Product Description	Bag QTY	Box QTY	List Price	Code
LF916	1/2" x 1/2" ProBite Water Hammer Arrestor	1	8	\$24.50	C
LF926	3/4" x 3/4" ProBite Water Hammer Arrestor	1	6	\$29.30	C
LF936	1" x 1" ProBite Water Hammer Arrestor	1	5	\$33.97	C



## PROBite<sup>+</sup> End Stops



Part Number	Product Description	Bag QTY	Box QTY	List Price	Code
LF886	¼" End stop, Lead-free	1	120	\$4.99	C
LF806	3/8" End stop, Lead-free	1	100	\$5.99	C
LF816	½" End stop, Lead-free	1	80	\$5.49	C
LF826	¾" End stop, Lead-free	1	60	\$6.99	C
LF836	1" End stop, Lead-free	1	50	\$12.98	C
LF856	1 ¼" End stop, Lead-free, Dual Seal Technology	1	20	\$34.80	C
LF866	" End stop, Lead-free, Dual Seal Technology	1	12	\$49.88	C
LF876	2" End stop, Lead-free, Dual Seal Technology	1	8	\$65.45	C

## PROBite<sup>+</sup> Ball Valves



Part Number	Product Description	Bag QTY	Box QTY	List Price	Code
LF902	3/8" x 3/8" Full Port Ball Valve, Lead-free	1	30	\$16.39	C
LF912	½" x ½" Full Port Ball Valve, Lead-free	1	25	\$15.49	C
LF922	¾" x ¾" Full Port Ball Valve, Lead-free	1	12	\$20.66	C
LF922D	¾" x ¾" Full Port Valve w/ Drain, LF*	1	12	\$25.64	C
LF922F	¾" x ¾" FNPT Full Port Ball Valve, Lead-free	1	12	\$21.18	C
LF932	1" x 1" Full Port Ball Valve, Lead-free	1	10	\$30.99	C
LF932	1" x 1" Full Port Valve w/ Drain, LF*	1	10	\$45.98	C
LF952	1 ¼" x 1 ¼" Full Port Ball Valve, LF*	1	1	\$59.90	C
LF962	1 ½" x 1 ½" Full Port Ball Valve, LF*	1	1	\$99.90	C
LF972	2" x 2" Full Port Ball Valve, LF*	1	1	\$129.90	C

\*LF denotes Lead-Free

## PROBite<sup>+</sup> Stop Valves



Part Number	Product Description	Bag QTY	Box QTY	List Price	Code
LF953A	½" x 3/8" OD. Chrome Plated, ¼ Turn Angle Stop Valve, Lead-free	1	30	\$ 10.60	C
LF953S	½" x 3/8" OD. Chrome Plated, ¼ Turn Straight Stop Valve, Lead-free	1	30	\$ 10.69	C
LF954T	½" x ½" x 3/8" OD Comp., 3-way, Chrome Plated ¼ Turn Stop Valve Tee	1	30	\$13.29	C
LF944T	½" x ½" x 1/4" OD Comp., 3-way, Chrome Plated ¼ Turn Stop Valve Tee	1	30	\$13.19	C
LF914T	½" x 3/8" OD Comp. x 3/8" OD Comp., 3-way, Chrome Plated ¼ Turn Stop Valve Tee	1	30	\$13.39	C
LF974S	½" x 5/8" OD. Chrome Plated, ¼ Turn Straight Stop Valve, Lead-free	1	30	\$12.49	C
LF944A	½" x ¼" OD. Chrome Plated, ¼ Turn Angle Stop Valve, Lead-free	1	30	\$12.09	C
LF944S	½" x ¼" OD. Chrome Plated, ¼ Turn Straight Stop Valve, Lead-free	1	30	\$12.19	C
LF914	½" x ½", ¼ Turn Straight Stop Valve	1	30	\$12.09	C
LF953-QVA	½" x 3/8" OD. Chrome Plated, ¼ Turn Telescoping Angle Valve w/ Bracket	1	12	\$17.90	C
LF953-QVS	½" x 3/8" OD. Chrome Plated, ¼ Turn Telescoping Straight Valve w/ Bracket	1	12	\$17.80	C

## PROBite+ Check Valves



Part Number	Product Description	Bag QTY	Box QTY	List Price	Code
LF917	½" Check Valve, Lead-free	1	30	\$14.89	C
LF927	¾" Check Valve, Lead-free	1	20	\$17.79	C
LF937	1" Check Valve, Lead-free	1	10	\$29.29	C

## PROBite+ Contractor Kits



Part Number	Product Description	Bag QTY	Box QTY	List Price	Code
LFC375	Contractor Starter Kit (Includes 2 each: PB811, 821,841, 812F, 822F, 812M, 822M, 813,823; 712, 722; 1 each: PB814, 824, 816, 826, 711, 721,QF102), Lead-free	N/A	1	\$284.59	C
LFK500	Irrigation Starter Kit (Includes 2 each: PB821, 831, 822M, 832M, 823, 833, 722, 732; 1 each: 822F, 832F, 824, 826, 836, 721, 731, QF102)	N/A	1	\$296.59	C

## PROBite+ Removal Tools



Part Number	Product Description	Bag QTY	Box QTY	List Price	Code
PB741	¼" Disconnect Tool	1	100	\$0.99	C
PB701	3/8" Disconnect Tool	1	100	\$0.99	C
PB711	½" Disconnect Tool	1	100	\$1.09	C
PB721	¾" Disconnect Tool	1	100	\$1.29	C
PB731	1" Disconnect Tool	1	100	\$1.69	C
LF771	1 ¼" Disconnect Tool (Stainless Steel)	1	10	\$21.99	C
LF781	1 ½" Disconnect Tool (Stainless Steel)	1	10	\$22.49	C
LF791	2" Disconnect Tool (Stainless Steel)	1	10	\$23.49	C
PP711	½" Release Tool	1	100	\$2.89	C
PP721	¾" Release Tool	1	100	\$3.19	C
PP731	1" Release Tool	1	100	\$3.89	C
PP771	1 ¼" Release Tool	1	10	\$21.99	C
PP781	1 ½" Release Tool	1	10	\$22.49	C
PP791	2" Release Tool	1	10	\$23.49	C

## PROBite+ PEX Stiffeners



Part Number	Product Description	Bag QTY	Box QTY	List Price	Code
PB702	3/8" Tube Stiffener, Hi-Flo (Bag of 10)	10	100	\$2.69	C
PB712	½" Tube Stiffener, Hi-Flo (Bag of 10)	10	100	\$2.79	C
PB722	¾" Tube Stiffener, Hi-Flo (Bag of 10)	10	100	\$2.99	C
PB732	1" Tube Stiffener, Hi-Flo (Bag of 10)	10	100	\$4.69	C
PB752	1 ¼" Tube Stiffener, Hi-Flo (Bag of 2)	2	40	\$3.99	C
PB762	1 ½" Tube Stiffener, Hi-Flo (Bag of 2)	2	40	\$6.99	C
PB772	2" Tube Stiffener, Hi-Flo (Bag of 2)	2	40	\$9.99	C



PB702B	3/8" Tube Stiffener, Hi-Flo (Bulk bag of 150)	150	4500	\$38.49	C
PB712B	½" Tube Stiffener, Hi-Flo (Bulk bag of 100)	100	4500	\$26.69	C
PB722B	¾" Tube Stiffener, Hi-Flo (Bulk bag of 100)	100	4500	\$28.59	C
PB732B	1" Tube Stiffener, Hi-Flo (Bulk bag of 50)	50	4500	\$22.19	C

## PROBite+ Water Heater Kits



Part Number	Product Description	Bag QTY	Box QTY	List Price	Code
LF718K	1/2" Water Heater Installation Kit; Includes (2) LF812F & (1) PB711, Lead-free	1	30	\$14.49	C
LF7128K	1/2" x 3/4" FNPT Water Heater Installation Kit; Includes (2) LF842F & (1) PB711, Lead-free	1	20	\$19.49	C
LF728K	3/4" Water Heater Installation Kit; Includes (2) LF822F & (1) PB721, Lead-free	1	20	\$17.89	C

## PROBite+ Supply Lines



Part Number	Product Description	Bag QTY	Box QTY	List Price	Code
LF715	1/2" PF x 1/2" PF, 18" SST Repair Hose	1	10	\$12.06	C
LF715F	1/2" PF x 1/2" FIP Push, 18" SST Hose	1	10	\$11.06	C
LF716	1/2" PF x 1/2" PF, 12" SST Repair Hose	1	10	\$11.76	C
LF716F	1/2" PF x 1/2" FIP, 12" SST Repair Hose	1	10	\$10.82	C
LF717F	1/2" PF x 1/2" FIP, 24" SST Repair Hose	1	10	\$12.17	C
LF725	3/4" PF x 3/4" PF, 18" SST Repair Hose	1	10	\$16.69	C
LF726	3/4" PF x 3/4" PF, 12" SST Repair Hose	1	10	\$15.09	C



LF745S	1/2" Straight Valve x 1/2" FIP, 18" Faucet Connector Hose, w/ EPDM Seal	1	10	\$17.24	C
LF746S	1/2" Straight Valve x 1/2" FIP, 12" Faucet Connector Hose, EPDM Seal	1	10	\$15.76	C
LF747S	1/2" Push Straight Valve x 1/2" FIP, 24" Faucet Connector Hose, EPDM Seal	1	10	\$18.48	C



LF745A	1/2" Push Angle Valve x 1/2" FIP x 18" Faucet Connector Hose, EPDM Seal	1	10	\$15.88	C
LF746A	1/2" Push Angle Valve x 1/2" FIP x 12" Faucet Connector Hose, EPDM Seal	1	10	\$15.26	C
LF747A	1/2" Push Angle Valve x 1/2" FIP x 24" Faucet Connector Hose, EPDM Seal	1	10	\$16.69	C

PF = Push Fitting

## PROBite+ Toilet Supply Lines



Part Number	Product Description	Bag QTY	Box QTY	List Price	Code
LF756S	1/2" Straight Valve x 7/8" Plastic Female, 12" Toilet Connect Hose	1	10	\$15.98	C
LF755S	1/2" Straight Valve x 7/8" Plastic Female, 18" Toilet Connect Hose	1	10	\$16.75	C
LF756A	1/2" Angle Valve x 7/8" Plastic Female, 12" Toilet Connect Hose	1	10	\$16.06	C
LF755A	1/2" Angle Valve x 7/8" Plastic Female, 18" Toilet Connect Hose	1	10	\$16.81	C

PF = Push Fitting



## PROBite+ Water Heater Connectors

Part Number	Product Description	Bag QTY	Box QTY	List Price	Code
LF7245F	3/4" PF Ball Valve x 3/4" FIP 18" Stainless Steel braided Water Heater Hose	1	10	\$36.06	C
LF7245FP	3/4" PF Ball Valve x 3/4" FIP, <b>Full Port</b> 18" Stainless Steel braided Water Heater Hose	1	10	\$38.06	C
LF725F	3/4" PF x 3/4" FIP, 18" Stainless Steel braided Water Heater Hose, EPDM Seal	1	10	\$15.14	C
LF7125F	1/2" PF x 3/4" FIP, 18" Stainless Steel braided Water Heater Hose, Dual Seal	1	10	\$14.76	C
LF725P	3/4" PF x 3/4" PF, 18" Stainless Steel braided Water Heater Hose	1	10	\$23.89	C
LF726FP	3/4" PF x 3/4" FIP <b>Full Port</b> 12" Stainless Steel braided Water Heater Hose	1	10	\$18.85	C
LF725FP	3/4" PF x 3/4" FIP <b>Full Port</b> 18" Stainless Steel braided Water Heater Hose	1	10	\$20.19	C
LF727FP	3/4" PF x 3/4" FIP <b>Full Port</b> 24" Stainless Steel braided Water Heater hose	1	10	\$23.42	C

\* Custom Hose Lengths available – Call for Pricing

Full Port = 3/4" inside diameter SS Flex Hose

## PROBite+ Gauges

Part Number	Product Description	Bag QTY	Box QTY	List Price	Code
LF916P	1/2" ProBite Pressure Gauge Tee	1	10	\$23.43	C
LF926P	3/4" ProBite Pressure Gauge Tee	1	8	\$25.63	C
LF936P	1" ProBite Pressure Gauge Tee	1	4	\$39.05	C
LF916T	1/2" ProBite Temperature Gauge Tee	1	10	\$41.05	C
LF926T	3/4" ProBite Temperature Gauge Tee	1	8	\$43.14	C
LF936T	1" ProBite Temperature Gauge Tee	1	4	\$55.46	C

## PROBite+ Plumbing Tools

Part Number	Product Description	Bag QTY	Box QTY	List Price	Code
QF201	Premium Mini Tube Cutter 1/8"-5/8"	1	30	\$6.12	C
QF202	Premium Metal Tube Cutter, Tube Sizes 1/8" - 1 1/8"	1	30	\$9.22	C
QF101	High Density Poly Plastic Tube Reamer, blue 1/8"-1 1/8"	1	30	\$7.15	C
QF102	High Density Poly Plastic Tube Reamer, Light Weight, Free-Flow Design Prevents Shaving Build-up, Tube Sizes 3/16"-1 1/2"	1	25	\$9.88	C
QF301	Ratchet Tube Cutter for PEX	1	10	\$11.28	C
QF302	High Torque Premium Tube Cutter, Built in Tube Reamer, File & Spare Cutter Wheel 1/8" - 1 1/2"	1	20	\$13.49	C

## PROBite<sup>+</sup> O-Ring Seals



Part Number	Product Description	Bag QTY	Box QTY	List Price	Code
PB700	3/8" EPDM O-ring (Bag of 10)	1	100	\$4.29	C
PB710	1/2" EPDM O-ring (Bag of 10)	1	100	\$4.19	C
PB720	3/4" EPDM O-ring (Bag of 10)	1	100	\$4.49	C
PB730	1" EPDM O-ring (Bag of 10)	1	100	\$8.98	C
PB770	1 1/4" EPDM O-ring (Bag of 10)	1	100	\$11.99	C
PB780	1 1/2" EPDM O-ring (Bag of 10)	1	50	\$13.89	C
PB790	2" EPDM O-ring (Bag of 10)	1	50	\$14.99	C

## PROBite<sup>+</sup> Silcock & Valve Adapters



Part Number	Product Description	Bag QTY	Box QTY	List Price	Code
LF812FS	1/2" Push X 1/2" Female CTS Silcock Adapter	1	40	\$6.99	C
LF822FS	3/4" Push X 3/4" Female CTS Silcock Adapter	1	30	\$8.89	C
LF812MS	1/2" Push X 1/2" Male CTS Silcock Adapter	1	40	\$6.89	C
LF822MS	3/4" Push X 3/4" Male CTS Silcock Adapter	1	30	\$8.79	C

NOTE: All adapters include thread sealant, which is required for the installation

\*ProBite®, Push Connect®, Quick Fitting®, Locjaw® and "Overbuilt, not Over-priced"® are registered trademarks of Quick Fitting, Inc. These materials are the copyright of Quick Fitting, Inc. 2015 – All rights reserved.

**PROBite<sup>+</sup>**  
OVERBUILT NOT OVERPRICED

THANK  
YOU

FOR GOING PRO!

## Frequently Asked Questions

**Q: Do I need to prepare the tube ends differently when using push fittings?**

**A:** No, as with sweat copper fittings, the tube must be chamfered, de-burred and reamed (free from burrs and debris). Quick Fitting recommends the use of an Inner/Outer Reamer to chamfer, de-burr and ream tube ends. These steps are essential to ensure the proper connection of your ProBite+® push-to-connect fitting. Also, be sure to draw an insertion mark on the tube to indicate the proper insertion of the tubing into the fitting.

**Q: What types of tubing can be used with ProBite+® fittings?**

**A:** ProBite® connectors are approved for use with Copper, CPVC and PERT.

**Q: Should I use a tubing insert stiffener on Copper, PEX and CPVC?**

**A:** A stiffener is only required when connecting PEX tubing.

**Q: Should I pressure test my system following the installation of push fittings?**

**A:** Yes, as with all types of plumbing fittings, new installations should be pressure tested to ensure a proper connection.

**Q: Can I install push fittings in a wet (charged) system?**

**A:** Push fittings can be installed wet or dry. System pressures should be relieved to avoid injury prior to installation.

## Installing, Testing and Flushing Your Push Fit System

**Q: Can ProBite+® Fittings blow off a water system?**

**A: NO.** the grip ring technology utilizes an opposing force principle, which simply put, the higher the force used to pull the fitting, the deeper the fitting bites into the tubing.

**Q: What pressure/temperature have our ProBite+® fittings been tested to withstand?**

**A:** ProBite® fittings are tensile tested to over 900 pound force and temperatures over 200 °F.

**Q: What support hanger spacing must I use with my ProBite® System?**

**A:** Support requirements are identical to a sweat system; as such installers should adhere to local codes. Always fully support heavy loads on your plumbing system.

**Q: How do I test my ProBite+® system?**

**A:** Pressure testing should be conducted the same way as you would with a Copper sweat system. The system should be installed, pressurized and then held under pressure for a period determined by your local plumbing regulations.

**Q: Do I need to lubricate the fitting when installing?**

**A: No,** PROBITE+® seals are factory-lubricated with an NSF-61 approved lubricant.

**Q: Do I still have to flush my system with water?**

**A: Yes,** but the system will be cleaner and flush faster since there is no solder or flux.

**Q: Should I use glue or solder when installing ProBite+®?**

**A:** Glues, adhesives or sealants are not required and should never be applied to the connection, fitting or tubing.

**Q: Are ProBite+® fittings approved for underground burial?**

**A: Yes,** our fittings are tested and approved for underground burial and in-wall use. We recommend wrapping the connection in a waterproof tape to avoid aggressive chemicals that may exist in the soil.



# Specification for Push Fitting Systems

## System

1.1 The fittings and valves shall be of the push to connect type (Manufacturer - Quick Fitting, Inc.) and shall be manufactured to the quality system of ISO 9001 and be ANSI/NSF-61 certified.

1.2 The system shall be full bore passage without diameter restriction for the fittings, in order to avoid high pressure drop.

## Pipe

2.1 Copper pipe shall conform to ASTM B-88 and may be type K, L, or M seamless copper.

2.2 CPVC pipe shall conform to ASTM D2846, CSA B137.6.

2.3 PEX tubing shall conform to ASTM F-876, CSA B137.5. Tube support liners provided by Quick Fitting, Inc. shall be used.

2.4 Plumbing systems must be installed in compliance with local plumbing code.

## Fittings & Valves

3.1 Fittings and valves shall be NSF-61 certified; and have a maximum operating pressure of 200 PSI at a maximum continuous operating temperature of 200°F. Higher temperatures and pressures may be permissible; please consult with manufacturer.

3.2 Fittings shall utilize copper alloy bodies meeting ASTM B-283 standard with stainless steel gripping teeth and shall use EPDM seals that are certified to NSF-61 service.

3.3 Fittings and valves shall incorporate a one-step connection method: push-to-connect, no pre-lubrication required.

3.4 Fittings and valves shall permit 360° rotation of the pipe while system is depressurized.

3.5 Fittings and valves shall be removable and reusable with the use of a removal tool (Manufacturer - Quick Fitting, Inc.).

3.6 Fittings shall use NSF-61 approved pre-lubricated EPDM seals so that additional lubrication or fitting preparation is not needed.

3.7 Fittings shall be design certified to ASSE-1061 and ANSI/NSF 61 standards.

## System Installation

4.1 Fittings shall be installed according to Quick Fitting installation instructions.

4.2 Pipe ends shall be chamfered, de-burred, reamed, and depth marked prior to fitting or valve installation. When cutting tubing, ensure that the ends are cut square and are free of burrs.

4.3 Ensure that there are no scratches, gouges or any form of damage on the circumference of the tube within the specified depth on Table 1.1. Damage in this area may cause leakage. Check the fitting for any signs of damage or foreign objects. Push the ProBite<sup>®</sup> fitting or valve onto the end of the copper pipe until depth mark is covered.

Insertion Depth Table 1.1

Fitting Size	¼"	3/8"	½"	¾"	1"	1 ¼"	1 ½"	2"
Depth	½"	13/16"	1"	1 1/16"	1 5/16"	1 11/16"	1 5/8"	1 ¾"

4.4 Use only in accordance with Quick Fitting's specifications and operating instructions.

4.5 If PEX tubing is used, then a tube support liner must be used also. The tube support liner acts as an internal support for the end of the tubing.

4.6 When a joint has to be disassembled and then reused, ensure that the tubing removed from the joint has no damage on the circumference within the specified depth on Table 1.1. Inspect the tube and connection for any signs of damage and ensure they are free of foreign materials. The joint can then be reassembled.

4.7 Installations should be pressure tested to ensure proper insertion of the push fittings and valves.

4.8 Installers should never use Pliers or crush the push connect head of the fitting.

## Retail or Wholesale Packaging

Quick Fitting® UPC bar-coded retail and private label packaging is available. Consult our Retail Pricing guide or a Quick Fitting representative at (877) 238-4826 for more information.

### MINIMUM ORDER SIZE

Minimum net order value is \$75.00.

### FREIGHT POLICY

Unless otherwise indicated, products are shipped using carriers that will represent the best "Shipping Value" for our customers. Shipping Value is determined by the quality of performance and further measured by the pricing. Orders in excess of \$1,500 will ship by Quick Fitting's carrier of choice full freight allowed (FFA) to the contiguous United States.



*We offer full color, high quality, bi-lingual packaging through our in house printing department.*

### QUICK FITTING® PRODUCT RETURN POLICY

Purchasers wanting to return items for credit may do so under the following conditions:

1. All returns require a Return Goods Authorization (RGA) number, which is active for 30 days from the date of issue. Contact Quick Fitting's Customer Service RGA assistance. Returned items must have the RGA# clearly visible on the outside of the package, along with any related documents or they cannot be accepted.
2. All inventory returns for credit must be received no later than the ninth month of the calendar year and the credit will be issued only to the original purchaser.
3. Private label and soft private branded products are not returnable for credit.
4. A 25% restocking charge will apply to all returns.
5. All returned items must be returned in their original packaging. Returned items must be complete with all manuals, documentation, etc. Acceptable returns must be in their original packaging, unused, free from defects or scarring and be current, non-obsolete product.
6. Returns must be made within 100 days of the date indicated on the original Purchase Order.
7. Custom items may not be returned for credit.
8. Products must be shipped back to Quick Fitting freight prepaid. Quick Fitting will not be responsible for any freight charges; duties, or fees and no credit will be given for them. Returns should be addressed to **Quick Fitting, Inc., Attn: Return Goods, 30 Plan Way, Warwick, RI 02886.**
9. Returns not meeting the above terms and conditions will be rejected and either returned to sender or disposed of at the senders written direction.
10. Quick Fitting will not be responsible for inventory returns that are lost or damaged during the transportation of the inventory to our facility. The original shipper should insure all returns to the full value of the return.

### PAYMENT TERMS

All invoices are due upon receipt, unless credit terms have been established.

## **75 YEAR PROBITE+® PRODUCT WARRANTY**

Quick Fitting Inc., hereafter referred to as "Quick Fitting", warrants its **PROBITE PLUS® fittings and adapters to be free of defects in material and workmanship in water service and other approved materials, for a period of seventy-five (75) years from the date of purchase of the products.** Quick Fitting makes no other warranties, express or implied. This limitation explicitly excludes any implied warranty of merchantability or fitness for a particular purpose. **The sole remedy for breach of this warranty of material and workmanship or for negligence in manufacture or design is limited to replacement or repair or the fitting, at the sole option of Quick Fitting, of any defective parts which are returned to Quick Fitting (prepaid) within seventy-five (75) years of original purchase.** **PROBITE® fittings contain a replaceable O-ring seal, which is warranted for replacement in water service for a period of (75) seventy-five years. In no event shall Quick Fitting be liable for indirect, special, incidental or consequential damages of any kind. No allowance will be made for repairs made by the purchaser.**

## **7-YEAR PROBITE® VALVE & CONTROL WARRANTY**

Supplier warrants its PROBITE+® push fit ball valves, stop valves and controls to be free of defects in material and workmanship in water service and other approved materials, for a period of seven (7) years from the date of purchase of the products. Supplier makes no other warranties, express or implied. This limitation explicitly excludes any implied warranty of merchantability or fitness for a particular purpose. The sole remedy for breach of this warranty of material and workmanship or for negligence in manufacture or design is limited to replacement or repair of the fitting, at the sole option of Supplier, of any defective parts which are returned to Supplier (prepaid) within seven (7) years of original purchase. In no event shall Supplier be liable for indirect, special, incidental or consequential damages of any kind. No allowance will be made for repairs made by the purchaser.

## **5-YEAR PROBITE® SUPPLY LINE WARRANTY**

Supplier warrants its PROBITE+® push fit supply line connectors to be free of defects in material and workmanship in water service and other approved materials, for a period of five (5) years from the date of purchase of the products. Supplier makes no other warranties, express or implied. This limitation explicitly excludes any implied warranty of merchantability or fitness for a particular purpose. The sole remedy for breach of this warranty of material and workmanship or for negligence in manufacture or design is limited to replacement or repair or the fitting, at the sole option of Supplier, of any defective parts which are returned to Supplier (prepaid) within five (5) years of original purchase. In no event shall Supplier be liable for indirect, special, incidental or consequential damages of any kind. No allowance will be made for repairs made by the purchaser.

**THIS WARRANTY IS EXPRESSLY IN LIEU OF ANY AND ALL OTHER WARRANTIES AND REPRESENTATIONS, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE AND THE WARRANTY OF MERCHANTABILITY. THERE ARE NO WARRANTIES, WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF. THE EXCLUSIVE REMEDY FOR DEFECTIVE PRODUCTS SHALL BE ONLY AS STATED HEREIN.**

**Quick Fitting Inc.** does not warrant the design, assembly or installation of the system using PROBITE+® or any other Quick Fitting brand, but only the components as stated herein. **Quick Fitting** is not responsible for improper design, assembly or installation, or for any modifications of the **Quick Fitting** products.



### **The Warranty Herein is Void Upon:**

- a. failure to follow any of the assembly or installation guidelines;
- b. alteration, misuse or abuse of, or damage to, any of the Supplier products;
- c. operation beyond the design range, excessive pressure or stress, or mishandling in any way;
- d. use other than for the intended purpose or in a manner other than as specified by Supplier;
- e. improper assembly, installation, service or maintenance;
- f. use on fluids that are abrasive, aggressive, acidic, imbalanced PH or containing metals or chemicals.

This Limited Warranty, and **Quick Fitting's** responsibility, may be further limited, but may not be expanded, by **Quick Fitting's** terms and conditions of sale, as set forth on the reverse side of the **Quick Fitting** invoice.

### **WARRANTY SERVICE INFORMATION**

Quick Fitting, Inc.  
Attn: Warranty Claim  
30 Plan Way  
Warwick, Rhode Island 02886  
Tel: (877) 238 – 4826 • Fax: (877) 258 - 4826