



# ProBite™ Lead Free List Pricing

May 19, 2010

Pricing effective as of May 19, 2010, is subject to change without notice. This pricing revision replaces all previously stated pricing communications.

Note: Given the current market volatility of commodity metals such as Copper, check with the factory before providing contract or extended term pricing to OEMs or resellers.

ProBite™ Quick Connection Fittings  
Quick Fitting Inc.  
750 Narragansett Park Dr.  
East Providence, Rhode Island 02916  
Tel: (877) 238-4826  
Fax: (877) 258-4826

ProBite® push connect plumbing fittings & valves install in seconds, and never require clamping, crimping, gluing or soldering! ProBite® fittings connect to Copper, PEX & CPVC easily, making quick work of your plumbing project and ensuring a permanent leak-free seal every time.

In addition to being full flow, removable and reusable, ProBite® fittings and valves are made with safe C36500 forged brass!

### ProBite® Quick Facts

- Pressure tested to 200 PSI
- 1,000-2,100 lb. pull strength
- Application temperatures from 0°-250° F
- Common applications: potable water, Glycol, compressed air, inert gas, cleaning chemicals, waste water, plant water, heating systems, vacuum, & more.


### Approvals & Certifications

- IAPMO
- UPC
- IPC
- ASSE 1061
- NSF 61
- cUPC

Industry's longest  
75- Year Warranty!

Safe C36500 Brass  
body for longer  
wear and better life

Removable design



\* Items only available in ProBite® Lead Free

## PROBite™ Push Connect Fittings

Part Number	Product Description	Bag QTY	Box QTY	List Price Ea.	Code
LF881	¼" x ¼" Straight Coupling	15	150	\$ 6.89	C
LF801	¾" x ¾" Straight Coupling	15	150	\$ 6.99	C
LF811	½" x ½" Straight Coupling	12	120	\$ 6.79	C
LF821	¾" x ¾" Straight Coupling	12	60	\$ 8.26	C
LF831	1" x 1" Straight Coupling	6	30	\$ 14.98	C
LF851	1 ¼" x 1 ¼" Straight Coupling	2	30	\$ 49.56	C
LF861	1 ½" x 1 ½" Straight Coupling	2	20	\$ 68.89	C
LF871	2" x 2" Straight Coupling	1	15	\$ 99.60	C
LF817	½" x ½" Slip Coupling w/ Disc. Tool (PB711)	2	100	\$ 15.69	C
LF827	¾" x ¾" Slip Coupling w/ Disc. Tool (PB721)	2	70	\$ 18.98	C
LF837	1" x 1" Slip Coupling w/ Disc. Tool (PB731)	2	45	\$ 27.98	C
LF8401	¾" x ½" Reducing Coupling	15	150	\$ 7.46	C
LF841	¾" x ½" Reducing Coupling	12	60	\$ 8.29	C
LF8413	1" x ¾" Reducing Coupling	6	30	\$ 16.28	C
LF8451	1 ¼" x 1" Reducing Coupling	2	30	\$ 35.69	C
LF8461	1 ½" x 1 ¼" Reducing Coupling	2	20	\$ 59.18	C
LF8471	2" x 1 ½" Reducing Coupling	1	15	\$ 87.89	C
LF8138	1" CTS x ½" Push Reducer*	10	60	\$ 13.69	C
LF8238	1" CTS x ¾" Push Reducer*	10	60	\$ 15.99	C
LF8338	½" CTS x ¾" Push Reducer*	12	120	\$ 11.39	C
LF8348	¾" CTS x ¾" Push Reducer*	10	100	\$ 11.99	C
LF8228	¾" CTS x ¾" FIP Adapter*	10	100	\$ 16.09	C
LF882F	¼" x ¼" FNPT Straight Female Adapter	15	150	\$ 6.50	C
LF802F	¾" x ¾" FNPT Straight Female Adapter	15	150	\$ 6.68	C
LF840F	¾" x ½" FNPT Straight Female Adapter*	20	200	\$ 6.79	C
LF812F	½" x ½" FNPT Straight Female Adapter	12	120	\$ 6.49	C
LF822F	¾" x ¾" FNPT Straight Female Adapter	6	60	\$ 7.09	C
LF842F	½" x ¾" FNPT Straight Female Adapter	6	60	\$ 7.29	C
LF832F	1" x 1" FNPT Straight Female Adapter	6	30	\$ 11.98	C
LF8322F	1" x ¾" FNPT Straight Female Adapter	6	30	\$ 11.68	C
LF852F	1 ¼" x 1 ¼" FNPT Straight Female Adapter	2	30	\$ 39.98	C



Part Number	Product Description	Bag QTY	Box QTY	List Price Ea.	Code
	LF862F 1 1/2" x 1 1/2" FNPT Straight Female Adapter	1	25	\$ 50.98	C
	LF872F 2" x 2" FNPT Straight Female Adapter	1	20	\$ 70.49	C
	LF882M 1/4" x 1/4" MNPT Straight Male Adapter	15	150	\$ 5.90	C
	LF802M 3/8" x 3/8" MNPT Straight Male Adapter	15	150	\$ 5.96	C
	LF840M 3/8" x 1/2" MNPT Straight Male Adapter*	20	200	\$ 6.38	C
	LF812M 1/2" x 1/2" MNPT Straight Male Adapter	12	120	\$ 5.49	C
	LF822M 3/4" x 3/4" MNPT Straight Male Adapter	6	60	\$ 7.25	C
	LF842M 1/2" x 3/4" MNPT Straight Male Adapter	6	60	\$ 6.98	C
	LF832M 1" x 1" MNPT Straight Male Adapter	6	30	\$ 11.68	C
	LF8322M 1" x 3/4" MNPT Straight Male Adapter	6	30	\$ 11.84	C
	LF852M 1 1/4" x 1 1/4" MNPT Straight Male Adapter	2	30	\$ 34.68	C
	LF862M 1 1/2" x 1 1/2" MNPT Straight Male Adapter	1	25	\$ 47.25	C
LF872M 2" x 2" MNPT Straight Male Adapter	1	20	\$ 70.69	C	
	LF883 1/4" x 1/4" Elbow	15	150	\$ 8.60	C
	LF803 3/8" x 3/8" Elbow	15	150	\$ 8.67	C
	LF813 1/2" x 1/2" Elbow	12	120	\$ 7.69	C
	LF823 3/4" x 3/4" Elbow	6	60	\$ 10.39	C
	LF833 1" x 1" Elbow	6	30	\$ 18.39	C
	LF843 3/4" x 1/2" Elbow	6	60	\$ 10.44	C
	LF853 1 1/4" Elbow	1	20	\$ 62.98	C
	LF863 1 1/2" Elbow	1	15	\$ 90.48	C
LF873 2" Elbow	1	8	\$ 135.98	C	
	LF803D 3/8" x 3/8" FNPT Elbow Drop Ear	10	90	\$ 9.98	C
	LF800D 3/8" x 1/2" FNPT Elbow Drop Ear*	10	90	\$ 10.69	C
	LF813D 1/2" x 1/2" FNPT Elbow Drop Ear	6	60	\$ 8.79	C
	LF820D 3/4" x 3/4" FNPT Elbow Drop Ear*	10	50	\$ 14.89	C
	LF803F 3/8" x 3/8" Elbow FNPT	15	150	\$ 8.29	C
	LF813F 1/2" x 1/2" Elbow FNPT	6	90	\$ 7.36	C
	LF803M 3/8" x 3/8" Elbow MNPT	15	150	\$ 8.19	C
	LF813M 1/2" x 1/2" Elbow MNPT	6	90	\$ 7.15	C
	LF884 1/4" x 1/4" x 1/4" Tee	15	90	\$ 12.15	C
	LF804 3/8" x 3/8" x 3/8" Tee	15	90	\$ 12.29	C
	LF814 1/2" x 1/2" x 1/2" Tee	12	60	\$ 10.59	C
	LF824 3/4" x 3/4" x 3/4" Tee	12	60	\$ 13.98	C
	LF834 1" x 1" x 1" Tee	3	24	\$ 23.55	C
	LF854 1 1/4" x 1 1/4" x 1 1/4" Tee	1	15	\$ 84.49	C
	LF864 1 1/2" x 1 1/2" x 1 1/2" Tee	1	10	\$ 120.98	C
	LF874 2" x 2" x 2" Tee	1	6	\$ 184.20	C
	LF8014 1/2" x 1/2" x 3/8" Reducing Tee*	10	80	\$ 12.99	C
	LF8024 3/8" x 3/8" x 1/2" Reducing Tee*	10	80	\$ 12.89	C
	LF844 3/4" x 3/4" x 1/2" Tee	12	60	\$ 12.65	C
	LF815 3/4" x 1/2" x 1/2" Tee	12	60	\$ 13.47	C
	LF825 3/4" x 1/2" x 3/4" Tee	12	60	\$ 13.98	C
	LF835 1" x 1" x 3/4" Tee	3	24	\$ 21.89	C


**PROBite™ Push Connect Fittings**

Part Number	Product Description	Bag QTY	Box QTY	List Price Ea.	Code
LF886	¼" Endstop	20	200	\$ 4.79	C
LF806	3/8" Endstop	20	200	\$ 4.88	C
LF816	½" Endstop	12	120	\$ 5.05	C
LF826	¾" Endstop	6	60	\$ 6.59	C
LF836	1" Endstop	3	30	\$ 10.98	C
LF856	1 ¼" Endstop	5	40	\$ 28.98	C
LF866	1 ½" Endstop	1	35	\$ 39.28	C
LF876	2" Endstop	1	30	\$ 58.50	C



**PROBite™ Push Connect Valves**

Part Number	Product Description	Bag QTY	Box QTY	List Price Ea.	Code
LF912	½" x ½" Integrated Full Port Ball Valve	1	100	\$ 15.49	C
LF922	¾" x ¾" Integrated Full Port Ball Valve	1	100	\$ 23.89	C
LF932	1" x 1" Integrated Full Port Ball Valve	1	50	\$ 36.99	C
LF953A	½" x 3/8" OD. Mini Valve, Quick Fitting ¼ turn supply stop angle	1	200	\$ 10.09	C
LF953S	½" x 3/8" OD. Mini Valve, Quick Fitting ¼ turn supply stop straight	1	200	\$ 10.29	C
LF917	½" Check Valve	2	120	\$ 14.89	C
LF927	¾" Check Valve	2	70	\$ 17.79	C
LF937	1" Check Valve	2	40	\$ 29.29	C



Part Number	Product Description	Bag QTY	Box QTY	List Price Ea.	Code
-------------	---------------------	---------	---------	----------------	------



LFC375	Contractor Starter Kit (Includes 2 each: PB811, 821,841, 812F, 822F, 812M, 822M, 813,823; 712, 722; 1 each: PB814, 824, 816, 826, 711, 721,QF102)	na	na	\$ 271.09	C
LFK500	Irrigation Starter Kit (Includes 2 each: PB821, 831, 822M, 832M, 823, 833, 722, 732; 1 each: 822F, 832F, 824, 826, 836, 721, 731, QF102)	na	na	\$ 282.39	C



PB741	¼" Disconnect Tool	--	--	\$ 0.79	C
PB701	3/8" Disconnect Tool	50	800	\$ 0.79	C
PB711	½" Disconnect Tool	50	500	\$ 0.79	C
PB721	¾" Disconnect Tool	25	500	\$ 1.09	C
PB731	1" Disconnect Tool	10	250	\$ 1.45	C
PB771	1 ¼" Disconnect Tool (stainless steel)	1	10	\$ 18.99	C
PB781	1 ½" Disconnect Tool (stainless steel)	1	10	\$ 19.49	C
PB791	2" Disconnect Tool (stainless steel)	1	10	\$ 20.49	C



PB702	3/8" Stiffener, Hi-Flo (Bag of 10)	10	1200	\$ 2.60	C
PB712	½" Stiffener, Hi-Flo (Bag of 10)	10	5000	\$ 2.70	C
PB722	¾" Stiffener, Hi-Flo (Bag of 10)	10	2500	\$ 2.90	C
PB732	1" Stiffener, Hi-Flo (Bag of 10)	10	1500	\$ 4.50	C
PB702B	3/8" Stiffener, Hi-Flo (Bulk bag of 150)	150	1200	\$ 37.05	C
PB712B	½" Stiffener, Hi-Flo (Bulk bag of 100)	100	5000	\$ 25.65	C
PB722B	¾" Stiffener, Hi-Flo (Bulk bag of 100)	100	2500	\$ 27.55	C
PB732B	1" Stiffener, Hi-Flo (Bulk bag of 50)	50	1500	\$ 21.35	C



LF728K	¾" Water Heater Installation Kit; Includes (2) PB822F & (1) PB721	1	30	\$ 17.89	C
--------	---	---	----	----------	---

## RETAIL PACKAGING

Quick Fitting UPC bar-coded retail and private label packaging is available.

Contact a Quick Fitting representative at (877) 238-4826 for more information.

## MINIMUM ORDER SIZE

Minimum net order value is \$50.00.

## FRIEGHT POLICY

Unless otherwise indicated, products are shipped using carriers that will represent the best "Shipping Value" for our customers. Shipping Value is determined by the quality of performance and further measured by the pricing.

## QUICK FITTING™ PRODUCT RETURN POLICY

Purchasers wanting to return items for credit, may do so under the following conditions:

1. All returns require a Return Goods Authorization (RGA) number, which is active for 30 days from the date of issue. Contact the appropriate Quick Fitting department for an RGA. Returned items must have the RGA# clearly visible on the outside of the package or they will not be accepted.
2. All inventory returns for credit must be received no later than the ninth month of the calendar year and the credit will be issued only to the original purchaser.
3. A 20% restocking charge will apply to all returns.
4. All returned items must be returned in the original packaging. Returned items must be complete with all manuals, documentation, etc. Acceptable returns must be in their original packaging, unused, free from defects or scarring and be current, non-obsolete product.
5. Custom items may not be returned for credit.
6. Products must be shipped back to Quick Fitting freight prepaid. Quick Fitting will not be responsible for any freight charges; duties, fees or charges and no credit will be given for them.
7. Returns not meeting the above terms and conditions will be rejected and either returned to sender or disposed of at the senders written direction.
8. Quick Fitting will not be responsible for inventory returns that are lost or damaged during the transportation of the inventory to our facility. The original shipper should insure all returns to the full value of the return.

## PAYMENT TERMS


All invoices are due, unless credit terms have been established.

## 75-YEAR COPRO™ PRODUCT WARRANTY

**Quick Fitting Inc.**, hereafter referred to as "Quick Fitting", warrants its COPRO™ fittings and adapters to be free of defects in material and workmanship in water service and other approved materials, for a period of seventy-five (75) years from the date of purchase of the products. **Quick Fitting** makes no other warranties, express or implied. **This limitation explicitly excludes any implied warranty of merchantability or fitness for a particular purpose.** The sole remedy for breach of this warranty of material and workmanship or for negligence in manufacture or design is limited to replacement or repair of the fitting, at the sole option of **Quick Fitting**, of any defective parts which are returned to **Quick Fitting** (prepaid) within seventy-five (75) years of original purchase. COPRO™ fittings contain a replaceable O-ring seal, gland and grip ring, which are warranted for replacement in water service for a period of (75) seventy-five years. In no event shall **Quick Fitting** be liable for indirect, special, incidental or consequential damages of any kind. No allowance will be made for repairs made by the purchaser.

**THIS WARRANTY IS EXPRESSLY IN LIEU OF ANY AND ALL OTHER WARRANTIES AND REPRESENTATIONS, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE AND THE WARRANTY OF MERCHANTABILITY. THERE ARE NO WARRANTIES, WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF. THE EXCLUSIVE REMEDY FOR DEFECTIVE PRODUCTS SHALL BE ONLY AS STATED HEREIN.**

**Quick Fitting** does not warrant the design, assembly or installation of the system using COPRO™, but only the components as stated herein. **Quick Fitting** is not responsible for improper design, assembly or installation, or for any modifications of the **Quick Fitting** products.



The warranty herein is void upon:

- (a) failure to follow any of the assembly or installation guidelines,
- (b) alteration, misuse or abuse of, or damage to, any of the **Quick Fitting** products,
- (c) operation beyond the design range, excessive pressure or stress, or mishandling in any way,
- (d) use other than for the intended purpose or in a manner other than as specified by **Quick Fitting**, or
- (e) improper assembly, installation, service or maintenance.
- (f) use on fluids that are aggressive, acidic, imbalanced PH or containing metals or chemicals.

This Limited Warranty, and **Quick Fitting's** responsibility, may be further limited, but may not be expanded, by **Quick Fitting's** terms and conditions of sale, as set forth on the reverse side of the **Quick Fitting** invoice.

### **75-YEAR PROBITE™ PRODUCT WARRANTY**

**Quick Fitting Inc.**, hereafter referred to as "Quick Fitting", warrants its PROBITE™ fittings and adapters to be free of defects in material and workmanship in water service and other approved materials, for a period of seventy-five (75) years from the date of purchase of the products. **Quick Fitting** makes no other warranties, express or implied. **This limitation explicitly excludes any implied warranty of merchantability or fitness for a particular purpose.** The sole remedy for breach of this warranty of material and workmanship or for negligence in manufacture or design is limited to replacement or repair of the fitting, at the sole option of **Quick Fitting**, of any defective parts which are returned to **Quick Fitting** (prepaid) within seventy-five (75) years of original purchase. PROBITE™ fittings contain a replaceable O-ring seal, which is warranted for replacement in water service for a period of (75) seventy-five years. In no event shall **Quick Fitting** be liable for indirect, special, incidental or consequential damages of any kind. No allowance will be made for repairs made by the purchaser.

**THIS WARRANTY IS EXPRESSLY IN LIEU OF ANY AND ALL OTHER WARRANTIES AND REPRESENTATIONS, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE AND THE WARRANTY OF MERCHANTABILITY. THERE ARE NO WARRANTIES, WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF. THE EXCLUSIVE REMEDY FOR DEFECTIVE PRODUCTS SHALL BE ONLY AS STATED HEREIN.**

**Quick Fitting** does not warrant the design, assembly or installation of the system using PROBITE™, but only the components as stated herein. **Quick Fitting** is not responsible for improper design, assembly or installation, or for any modifications of the **Quick Fitting** products.

The warranty herein is void upon:

- a) failure to follow any of the assembly or installation guidelines,
- b) alteration, misuse or abuse of, or damage to, any of the **Quick Fitting** products,
- c) operation beyond the design range, excessive pressure or stress, or mishandling in any way,
- d) use other than for the intended purpose or in a manner other than as specified by **Quick Fitting**, or
- e) improper assembly, installation, service or maintenance.
- f) use on fluids that are aggressive, acidic, imbalanced PH or containing metals or chemicals.

This Limited Warranty, and **Quick Fitting's** responsibility, may be further limited, but may not be expanded, by **Quick Fitting's** terms and conditions of sale, as set forth on the reverse side of the **Quick Fitting** invoice.



Quick Fitting Inc.  
750 Narragansett Park Dr.  
East Providence, Rhode Island 02916  
Tel: (877) 238 – 4826  
Fax: (877) 258 -- 4826