



LIST PRICING

JANUARY 1, 2021

PROBITE⁺

BY QUICKFITTING[®]

OVERBUILT, NOT OVERPRICED.



PROBITE+ PUSH FITTINGS

Pricing effective as of January 1, 2021, is subject to change without notice. This pricing revision replaces all previously stated pricing communications.

U.S. Patent #8,205,915


Note: Given the current market volatility of commodity metals such as copper, check with the factory before providing contract or extended term pricing to OEMs or resellers.

Quick Fitting Holding Company, LLC.
655 Waterman Ave., East Providence, RI, USA 02914
Tel: (877) 238-4826 / Fax: (877) 258-4826

SMART PHONE



INFO SCAN



PUSH TO CONNECT PLUMBING PRODUCTS

SMART RELEASE TOOL

HASSLE- AND FRUSTRATION-FREE APPLICATIONS

ProBite+ push technology features a more secure connection than standard fittings, all while giving the user full control through our patented smart release tool.

With our patented Smart Release™ tool, you can easily remove, reposition, and reuse our technology.

ProBite+ offers an extensive selection of SKUs in our brass push fitting technology. Both professionals and do-it-yourselfers will find the right solution for their plumbing requirements with ProBite+. You just can't beat advanced patented technology, extensive selection, premium quality and superior value proposition.



PROBITE+ LEAD-FREE BRASS INCLUDES PATENTED DESIGN ENHANCEMENTS THAT DELIVER SUPERIOR SEALING PERFORMANCE, AS WELL AS A LOWER FORCE INSERTION TECHNOLOGY.

In addition to our **Made in America** fastening technology, all our push to connect products are individually inspected, assembled and packaged in the United States.

WORK SMARTER, NOT HARDER.

Just cut your tubing, mark the depth and push to connect - with none of the jiggling, insertion force, or annoyance that you may be used to.

OUR PUSH TO CONNECT TECHNOLOGY IS COMPATIBLE WITH COPPER, PEX AND CPVC TUBING.



WHY GO WITH THE PRO?

- Extensive Product Offering
- Superior Grip Technology
- In-House Design & Engineering
- Expansive Merchandising
- Constantly Growing to Support You
- Proven Performance
- Millions of Installations
- Patented Innovative Design
- Superior Value

WWW.PROBITE.COM



PROBITE⁺

BY QUICKFITTING

THE GO-TO PRODUCT FOR THE GO-TO GUYS

PROBITE PLUS® - THE BRAND THE PROFESSIONALS TRUST

ProBite® Delivers superior proven technology, premium quality, significant value – as well as the widest assortment of any competitive push fit brand.

ProBite+ Lead-free and safe brass alternative push fit technology, provides users with technology that not only protects your health – but their affordability and smart technology protects your time & your wallet, too.



EASY INSTALL, EASY APPLICATION – JUST PUSH TO CONNECT

<p>1 Cut the Tubing Use on PEX, Copper & CPVC!</p>	<p>2 Use a Deburring Tool to ensure the proper connection without damage to the sealing rings</p> <p>Cut, clean & deburr (remove sharp edges)</p>	<p>3 Mark It. the insertion depth on the outside of the tubing</p> <p>INSERTION DEPTH 1/4 in = 1/2" 3/8 in = 3/4" 1/2 in = 1" 3/4 in = 1 1/16" 1 in = 1 5/16" *Insert a Hi-tie stiffener when using PEX tubing</p> <p>Push It. Push the fitting on the tube to the insertion depth</p> <p>NOTE: Fittings may be rotated left or right during installation</p>	<p>4 Properly installed fittings meet the insertion depth mark</p> <p>Never hammer or strike the fitting. Do not use pliers or crush the push head. Do not use sealants or adhesives on the push fitting.</p> <p>The fitting may be turned or repositioned after the installation. Always pressure test your system to ensure a proper installation</p>
---	--	--	--

Probite+® Patented Smart Release Slip Clip™ Technology


<p>Smart Release Tool Herramienta de Remocion</p> <p>FRONT VIEW VISTA FRONTAL SIDE VIEW VISTA LATERAL</p>	<p>1 Slide the Smart Release Slip Clip™ over the Fitting Connection Deslice el clip de la eliminación en la conexión de ajuste</p>	<p>2 Press Downward Until the Tubing is Released. Presione hacia abajo hasta que se suelta el tubo</p>	<p>3 Pull the Tubing from the Fitting Tire de la tubería de la instalación</p>
--	---	---	---

PROBITE⁺

BY QUICKFITTING

CUT, CLEAN, PUSH ON... DONE!

**SUPERIOR GRIPPING TECHNOLOGY
MAKES IT FAST AND RELIABLE**



NEW!

Patented ProBite Plus[®] with our new Plus[™] connect technology, the highest performing push fit ever! Now, with our patented Slip Clip[™] removal system for easier removal and reuse!




Couplings	Part Number	Product Description	Bag Qty	Box Qty	List Price
	LF881	1/4" x 1/4" Straight Coupling	1	60	\$10.95
	LF801	3/8" x 3/8" Straight Coupling	1	50	\$10.86
	LF811	1/2" x 1/2" Straight Coupling	1	40	\$10.86
	LF811PBY	1/2" x 1/2" Polybutylene Transition Coupling	1	40	\$14.26
	LF821	3/4" x 3/4" Straight Coupling	1	30	\$12.97
	LF821PBY	3/4" x 3/4" Polybutylene Transition Coupling	1	30	\$17.48
	LF831	1" x 1" Straight Coupling	1	25	\$25.66


Repair Coupling	Part Number	Product Description	Bag Qty	Box Qty	List Price
	LF817	1/2" x 1/2" Repair Coupling	1	30	\$19.74
	LF827	3/4" x 3/4" Repair Coupling	1	20	\$32.68
	LF837	1" x 1" Repair Coupling	1	10	\$45.67


Slip Repair Tees	Part Number	Product Description	Bag Qty	Box Qty	List Price
	LF8147	1/2" x 1/2" x 1/2" Slip Tee	1	20	\$20.70
	LF8147F	1/2" x 1/2" x 1/2" FNPT Slip Tee	1	20	\$27.60
	LF8247	3/4" x 3/4" x 3/4" Slip Tee	1	15	\$25.30
	LF8247F	3/4" x 3/4" x 3/4" FNPT Slip Tee	1	15	\$32.20


PROBITE⁺


BY QUICKFITTING


Reducing Coupling	Part Number	Product Description	Bag Qty	Box Qty	List Price
	LF8408	3/8" x 1/4" Reducing Coupling	1	50	\$14.70
	LF8401	3/8" x 1/2" Reducing Coupling	1	50	\$11.80
	LF841	3/4" x 1/2" Reducing Coupling	1	30	\$13.91
	LF8413	1" x 3/4" Reducing Coupling	1	25	\$25.66


Copper Tube Size Adapters	Part Number	Product Description	Bag Qty	Box Qty	List Price
	LF8338	1/2" CTS x 3/8" Push Reducer	1	30	\$14.00
	LF8348	3/4" CTS x 3/8" Push Reducer	1	30	\$16.50
	LF8138	1" CTS x 1/2" Push Reducer	1	24	\$28.00
	LF8238	1" CTS x 3/4" Push Reducer	1	24	\$28.00
	LF8228	3/4" CTS x 3/4" FNPT, WH Adapter	1	32	\$16.50



Adapters	Part Number	Product Description	Bag Qty	Box Qty	List Price
	LF882F	1/4" x 1/4" FNPT Straight Female Adapter	1	60	\$9.19
	LF802F	3/8" x 3/8" FNPT Straight Female Adapter	1	50	\$8.74
	LF840F	3/8" x 1/2" FNPT Straight Female Adapter	1	50	\$9.50
	LF812F	1/2" x 1/2" FNPT Straight Female Adapter	1	40	\$8.74
	LF822F	3/4" x 3/4" FNPT Straight Female Adapter	1	30	\$11.25
	LF842F	1/2" x 3/4" FNPT Straight Female Adapter	1	30	\$11.25
	LF832F	1" x 1" FNPT Straight Female Adapter	1	25	\$20.23
	LF8322F	1" x 3/4" FNPT Straight Female Adapter	1	25	\$18.86

	LF882M	1/4" x 1/4" MNPT Straight Male Adapter	1	60	\$9.19
	LF802M	3/8" x 3/8" MNPT Straight Male Adapter	1	50	\$8.74
	LF840M	3/8" x 1/2" MNPT Straight Male Adapter	1	50	\$9.50
	LF812M	1/2" x 1/2" MNPT Straight Male Adapter	1	40	\$8.74
	LF842M	1/2" x 3/4" MNPT Straight Male Adapter	1	30	\$11.25
	LF822M	3/4" x 3/4" MNPT Straight Male Adapter	1	30	\$10.49
	LF8233M	3/4" x 1" MNPT Straight Male Adapter	1	25	\$19.50
	LF8322M	1" x 3/4" MNPT Straight Male Adapter	1	25	\$20.89
	LF832M	1" x 1" MNPT Straight Male Adapter	1	25	\$21.71




Elbows	Part Number	Product Description	Bag Qty	Box Qty	List Price
	LF883	1/4" x 1/4" Elbow	1	60	\$10.00
	LF8833F	3/4" GH x 1/4" Dishwasher Elbow	1	30	\$20.50
	LF803	3/8" x 3/8" Elbow	1	40	\$12.90
	LF813	1/2" x 1/2" Elbow	1	40	\$11.87
	LF823	3/4" x 3/4" Elbow	1	25	\$14.72
	LF843	3/4" x 1/2" Elbow	1	25	\$16.72
	LF833	1" x 1" Elbow	1	15	\$29.60
	LF8343	1" x 3/4" Reducing Elbow	1	15	\$25.76


Drop Ears	Part Number	Product Description	Bag Qty	Box Qty	List Price
	LF803D	3/8" x 3/8" FNPT Elbow Drop Ear	1	40	\$13.36
	LF800D	3/8" x 1/2" FNPT Elbow Drop Ear	1	40	\$13.00
	LF810D	1/2" x 1/2" Elbow Drop Ear	1	40	\$16.00
	LF810FH	1/2" x 1/2" FNPT Elbow Hy-Ear	1	40	\$15.50
	LF813D	1/2" x 1/2" FNPT Elbow Drop Ear	1	40	\$12.82
	LF820D	3/4" x 3/4" FNPT Elbow Drop Ear	1	25	\$18.47


Elbows	Part Number	Product Description	Bag Qty	Box Qty	List Price
	LF803F	3/8" x 3/8" FNPT Elbow	1	40	\$13.36
	LF813F	1/2" x 1/2" FNPT Elbow	1	40	\$12.82
	LF823F	3/4" x 3/4" FNPT Elbow	1	30	\$21.03
	LF803M	3/8" x 3/8" Elbow MNPT	1	40	\$13.36
	LF813M	1/2" x 1/2" Elbow MNPT	1	40	\$12.82
	LF823M	3/4" x 3/4" Elbow MNPT	1	40	\$16.42


PROBITE⁺

BY QUICKFITTING

Tees	Part Number	Product Description	Bag Qty	Box Qty	List Price
	LF884	1/4" x 1/4" x 1/4" Tee	1	60	\$18.50
	LF804	3/8" x 3/8" x 3/8" Tee	1	30	\$18.00
	LF814	1/2" x 1/2" x 1/2" Tee	1	30	\$16.56
	LF824	3/4" x 3/4" x 3/4" Tee	1	20	\$21.21
	LF824F	3/4" x 3/4" x 3/4" FNPT Tee	1	20	\$21.50
	LF834	1" x 1" x 1" Tee	1	15	\$40.53
	LF834F	1" x 1" x 1" FNPT Tee	1	15	\$39.50

	LF8014	1/2" x 1/2" x 3/8" Reducing Tee	1	30	\$18.00
	LF8024	3/8" x 3/8" x 1/2" Reducing Tee	1	30	\$18.00
	LF844	3/4" x 3/4" x 1/2" Tee	1	20	\$21.21
	LF815	3/4" x 1/2" x 1/2" Tee	1	20	\$22.06
	LF825	3/4" x 1/2" x 3/4" Tee	1	20	\$22.06
	LF835	1" x 1" x 3/4" Tee	1	10	\$39.50


End Stops	Part Number	Product Description	Bag Qty	Box Qty	List Price
	LF886	1/4" End stop	1	120	\$10.24
	LF806	3/8" End stop	1	100	\$10.80
	LF816	1/2" End stop	1	80	\$9.94
	LF826	3/4" End stop	1	60	\$12.43
	LF836	1" End stop	1	50	\$23.19


Ball Valves	Part Number	Product Description	Bag Qty	Box Qty	List Price
	LF902	3/8" x 3/8" Full Port Ball Valve	1	30	\$28.99
	LF912	1/2" x 1/2" Full Port Ball Valve	1	25	\$30.59
	LF922	3/4" x 3/4" Full Port Ball Valve	1	12	\$37.99
	LF922D	3/4" x 3/4" Full Port Valve w/ Drain	1	12	\$42.50
	LF922F	3/4" x 3/4" FNPT Full Port Ball Valve	1	12	\$38.50
	LF932	1" x 1" Full Port Ball Valve	1	10	\$52.30
	LF952	1 1/4" x 1 1/4" Full Port Ball Valve	1	1	\$95.00
	LF962	1 1/2" x 1 1/2" Full Port Ball Valve	1	1	\$180.00
	LF972	2" x 2" Full Port Ball Valve	1	1	\$210.00

PROBITE⁺

BY QUICKFITTING[®]


Stop Valves	Part Number	Product Description	Bag Qty	Box Qty	List Price
	LF953A	1/2" x 3/8" OD. Chrome Plated, 1/4 Turn Angle Stop Valve	1	30	\$20.72
	LF953S	1/2" x 3/8" OD. Chrome Plated, 1/4 Turn Straight Stop Valve	1	30	\$22.20
	LF954T	1/2" x 1/2" x 3/8" OD Comp., 3-way, Chrome Plat-ed 1/4 Turn Stop Valve Tee	1	30	\$39.51
	LF944T	1/2" x 1/2" x 1/4" OD Comp., 3-way, Chrome Plated 1/4 Turn Stop Valve Tee	1	30	\$39.51
	LF914T	1/2" x 3/8" OD Comp. x 3/8" OD Comp., 3-way, Chrome Plated 1/4 Turn Stop Valve Tee	1	30	\$24.97
	LF974S	1/2" x 5/8" OD. Chrome Plated, 1/4 Turn Straight Stop Valve	1	30	\$22.38
	LF944A	1/2" x 1/4" OD. Chrome Plated, 1/4 Turn Angle Stop Valve	1	30	\$22.20
	LF944S	1/2" x 1/4" OD. Chrome Plated, 1/4 Turn Straight Stop Valve	1	30	\$22.20
	LF914	1/2" x 1/2", 1/4 Turn Straight Stop Valve	1	30	\$21.22


Check Valves	Part Number	Product Description	Bag Qty	Box Qty	List Price
	LF917	1/2" Check Valve	1	30	\$28.22
	LF927	3/4" Check Valve	1	20	\$33.36
	LF937	1" Check Valve	1	10	\$69.79


Removal Tools	Part Number	Product Description	Bag Qty	Box Qty	List Price
 	PB741	1/4" Disconnect Tool	1	100	\$2.29
	PB701	3/8" Disconnect Tool	1	100	\$2.39
	PB711	1/2" Disconnect Tool	1	100	\$2.39
	PB721	3/4" Disconnect Tool	1	100	\$2.39
	PB731	1" Disconnect Tool	1	100	\$2.39
	PP711	1/2" Patented Slip Clip™ Release Tool	1	100	\$2.39
	PP721	3/4" Patented Slip Clip™ Release Tool	1	100	\$2.39
	PP731	1" Patented Slip Clip™ Release Tool	1	100	\$2.39
	PP771	1 1/4" Patented Slip Clip™ Release Tool	1	10	\$7.18
	PP781	1 1/2" Patented Slip Clip™ Release Tool	1	10	\$10.76
	PP791	2" Patented Slip Clip™ Release Tool	1	10	\$13.80

PROBITE⁺

BY QUICKFITTING[®]

PEX Stiffeners	Part Number	Product Description	Bag Qty	Box Qty	List Price
	PB702	3/8" Tube Stiffener, Hi-Flo (Bag of 10)	10	100	\$2.69
	PB712	1/2" Tube Stiffener, Hi-Flo (Bag of 10)	10	100	\$2.79
	PB722	3/4" Tube Stiffener, Hi-Flo (Bag of 10)	10	100	\$2.99
	PB732	1" Tube Stiffener, Hi-Flo (Bag of 10)	10	100	\$4.69
	PB752	1 1/4" Tube Stiffener, Hi-Flo (Bag of 2)	2	40	\$3.99
	PB762	1 1/2" Tube Stiffener, Hi-Flo (Bag of 2)	2	40	\$6.99
	PB772	2" Tube Stiffener, Hi-Flo (Bag of 2)	2	40	\$9.99

	PB702B	3/8" Tube Stiffener, Hi-Flo (Bulk bag of 150)	150	4500	\$38.49
	PB712B	1/2" Tube Stiffener, Hi-Flo (Bulk bag of 100)	100	4500	\$26.69
	PB722B	3/4" Tube Stiffener, Hi-Flo (Bulk bag of 100)	100	4500	\$28.59
	PB732B	1" Tube Stiffener, Hi-Flo (Bulk bag of 50)	50	4500	\$22.19

Water Heater Kits	Part Number	Product Description	Bag Qty	Box Qty	List Price
	LF718K	1/2" Water Heater Installation Kit; Includes (2) LF812F & (1) PB711	1	30	\$19.87
	LF7128K	1/2" x 3/4" FNPT Water Heater Installation Kit; Includes (2) LF842F & (1) PB711	1	20	\$23.37
	LF728K	3/4" Water Heater Installation Kit; Includes (2) LF822F & (1) PB721	1	20	\$23.37

PROBITE⁺




BY QUICKFITTING

Supply Lines	Part Number	Product Description	Bag Qty	Box Qty	List Price
	LF715	1/2" PF x 1/2" PF, 18" SST Repair Hose	1	10	\$32.74
	LF715F	1/2" PF x 1/2" FIP Push, 18" SST Hose	1	10	\$31.37
	LF716	1/2" PF x 1/2" PF, 12" SST Repair Hose	1	10	\$29.63
	LF716F	1/2" PF x 1/2" FIP, 12" SST Repair Hose	1	10	\$28.25
	LF717F	1/2" PF x 1/2" FIP, 24" SST Repair Hose	1	10	\$34.48
	LF725	3/4" PF x 3/4" PF, 18" SST Repair Hose	1	10	\$34.23
	LF726	3/4" PF x 3/4" PF, 12" SST Repair Hose	1	10	\$27.50
	LF745S	1/2" Straight Valve x 1/2" FIP, 18" Faucet Connector Hose, w/ EPDM Seal	1	10	\$54.78
	LF746S	1/2" Straight Valve x 1/2" FIP, 12" Faucet Connector Hose, EPDM Seal	1	10	\$52.01
	LF747S	1/2" Push Straight Valve x 1/2" FIP, 24" Faucet Connector Hose, EPDM Seal	1	10	\$57.55
	LF745A	1/2" Push Angle Valve x 1/2" FIP x 18" Faucet Connector Hose, EPDM Seal	1	10	\$55.25
	LF746A	1/2" Push Angle Valve x 1/2" FIP x 12" Faucet Connector Hose, EPDM Seal	1	10	\$52.48
	LF747A	1/2" Push Angle Valve x 1/2" FIP x 24" Faucet Connector Hose, EPDM Seal	1	10	\$58.02
Toilet Supply Lines	Part Number	Product Description	Bag Qty	Box Qty	List Price
	LF756S	1/2" Straight Valve x 7/8" Plastic Female, 12" Toilet Connect Hose	1	10	\$41.78
	LF755S	1/2" Straight Valve x 7/8" Plastic Female, 18" Toilet Connect Hose	1	10	\$44.55
	LF756A	1/2" Angle Valve x 7/8" Plastic Female, 12" Toilet Connect Hose	1	10	\$42.26
	LF755A	1/2" Angle Valve x 7/8" Plastic Female, 18" Toilet Connect Hose	1	10	\$45.03

PF = Push Fitting

PROBITE⁺

BY QUICKFITTING

Water Heater Connerctors	Part Number	Product Description	Bag Qty	Box Qty	List Price
	LF7245F	3/4" PF Ball Valve x 3/4" FIP 18" Stainless Steel Braided Water Heater Hose	1	10	\$60.43
	LF7245FP	3/4" PF Ball Valve x 3/4" FIP, Full Port 18" Stainless Steel Braided Water Heater Hose	1	10	\$63.16
	LF725F	3/4" PF x 3/4" FIP, 18" Stainless Steel Braided Water Heater Hose, EPDM Seal	1	10	\$30.10
	LF7125F	1/2" PF x 3/4" FIP, 18" Stainless Steel Braided Water Heater Hose, Dual Seal	1	10	\$30.10
	LF725P	3/4" PF x 3/4" PF, Full Port 18" Stainless Steel Braided Water Heater Hose	1	10	\$48.89
	LF726FP	3/4" PF x 3/4" FIP Full Port 12" Stainless Steel Braided Water Heater Hose	1	10	\$51.27
	LF725FP	3/4" PF x 3/4" FIP Full Port 18" Stainless Steel Braided Water Heater Hose	1	10	\$55.88
	LF727FP	3/4" PF x 3/4" FIP Full Port 24" Stainless Steel Braided Water Heater hose	1	10	\$60.49

***Custom Hose lengths available
Full Port = 3/4" inside diameter SS Flex Hose

O-Ring Seals	Part Number	Product Description	Bag Qty	Box Qty	List Price
	PB700	3/8" EPDM O-ring (Bag of 10)	1	100	\$4.29
	PB710	1/2" EPDM O-ring (Bag of 10)	1	100	\$4.19
	PB720	3/4" EPDM O-ring (Bag of 10)	1	100	\$4.49
	PB730	1" EPDM O-ring (Bag of 10)	1	100	\$8.98
	PB770	1 1/4" EPDM O-ring (Bag of 10)	1	100	\$11.99
	PB780	1 1/2" EPDM O-ring (Bag of 10)	1	50	\$13.89
	PB790	2" EPDM O-ring (Bag of 10)	1	50	\$14.99



FREQUENTLY ASKED QUESTIONS

Q: Do I need to prepare the tube ends differently when using push fittings?

A: No, as with sweat copper fittings, the tube must be chamfered, de-burred and reamed (free from burrs and debris). Quick Fitting recommends the use of an Inner/Outer Reamer to chamfer, de-burr and ream tube ends. These steps are essential to ensure the proper connection of your ProBite+ push-to-connect fitting. Also, be sure to draw an insertion mark on the tube to indicate the proper insertion of the tubing into the fitting.

Q: What types of tubing can be used with ProBite+ fittings?

A: ProBite+ connectors are approved for use with Copper, CPVC and PEX.

Q: Should I use a tubing insert stiffener on Copper, PEX and CPVC?

A: A stiffener is only required when connecting PEX tubing.

Q: Should I pressure test my system following the installation of push fittings?

A: Yes, as with all types of plumbing fittings, new installations should be pressure tested to ensure a proper connection.

Q: Can I install push fittings in a wet (charged) system?

A: Push fittings can be installed wet or dry. System pressures should be relieved to avoid injury prior to installation.

Installing, Testing and Flushing Your Push Fit System

Q: Can ProBite+ Fittings blow off a water system?

A: NO. the grip ring technology utilizes an opposing force principle, which simply put, the higher the force used to pull the fitting, the deeper the fitting bites into the tubing.

Q: What pressure/temperature have our ProBite+ fittings been tested to withstand?

A: ProBite+ fittings are tensile tested to over 900-pound force and temperatures up to 200 °F.

Q: What support hanger spacing must I use with my ProBite+ System?

A: Support requirements are identical to a sweat system; as such installers should adhere to local codes. Always fully support heavy loads on your plumbing system.

Q: How do I test my ProBite+ system?

A: Pressure testing should be conducted the same way as you would with a Copper sweat system. The system should be installed, pressurized and then held under pressure for a period determined by your local plumbing regulations.

Q: Do I need to lubricate the fitting when installing?

A: No, PROBITE+® seals are factory-lubricated with an NSF-61 approved lubricant.

Q: Do I still have to flush my system with water?

A: Yes, but the system will be cleaner and flush faster since there is no solder or flux.

Q: Should I use glue or solder when installing ProBite+?

A: Glues, adhesives or sealants are not required and should never be applied to the connection, fitting or tubing.

Q: Are ProBite+ fittings approved for underground burial?

A: Yes, our fittings are tested and approved for underground burial and in-wall use. We recommend wrapping the connection in a waterproof tape to avoid aggressive chemicals that may exist in the soil.



PROBITE⁺

BY QUICKFITTING

System

1.1 The fittings and valves shall be of the push to connect type (Manufacturer - Quick Fitting Holding Co.) and shall be manufactured to the quality system of ISO 9001 and be ANSI/NSF-61 certified.

1.2 The system shall be full bore passage without diameter restriction for the fittings, in order to avoid high pressure-drop.

Pipe

2.1 Copper pipe shall conform to ASTM B-88 and may be type K, L, or M seamless copper.

2.2 CPVC pipe shall conform to ASTM D2846, CSA B137.6.

2.3 PEX tubing shall conform to ASTM F-876, CSA B137.5. Tube support liners provided by Quick Fitting, Inc. shall be used.

2.4 Plumbing systems must be installed in compliance with local plumbing code.

Fittings & Valves

3.1 Fittings and valves shall be NSF-61 certified; and have a maximum operating pressure of 200 PSI at a maximum continuous operating temperature of 200°F. Higher temperatures and pressures may be permissible; please consult with manufacturer.

3.2 Fittings shall utilize copper alloy bodies meeting ASTM B-283 standard with stainless steel gripping teeth and shall use EPDM seals that are certified to NSF-61 service.

3.3 Fittings and valves shall incorporate a one-step connection method: push-to-connect, no pre-lubrication required.

3.4 Fittings and valves shall permit 360° rotation of the pipe while system is depressurized.

3.5 Fittings and valves shall be removable and reusable with the use of a removal tool (Manufacturer - Quick Fitting Holding Co.)

3.6 Fittings shall use NSF-61 approved pre-lubricated EPDM seals so that additional lubrication or fitting preparation is not needed.

3.7 Fittings shall be design certified to ASSE-1061, NSF/ANSI/CAN 61-2020, and NSF/ANSI/CAN 372-2020.

System Installation

4.1 Fittings shall be installed according to Quick Fitting installation instructions.

4.2 Pipe ends shall be chamfered, de-burred, reamed, and depth marked prior to fitting or valve installation. When cutting tubing, ensure that the ends are cut square and are free of burrs.

4.3 Ensure that there are no scratches, gouges or any form of damage on the circumference of the tube within the specified depth on Table 1.1. Damage in this area may cause leakage. Check the fitting for any signs of damage or foreign objects. Push the ProBite® fitting or valve onto the end of the copper pipe until depth mark is covered.

Insertion Depth Table 1.1

Fitting Size	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
Depth	1/2"	13/16"	1"	1 1/16"	1 5/16"	1 11/16"	1 5/8"	1 3/4"


4.4 Use only in accordance with Quick Fitting's specifications and operating instructions.

4.5 If PEX tubing is used, then a tube support liner must be used also. The tube support liner acts as an internal support for the end of the tubing.

4.6 When a joint has to be disassembled and then re-used, ensure that the tubing removed from the joint has no damage on the circumference within the specified depth on Table 1.1. Inspect the tube and connection for any signs of damage and ensure they are free of foreign materials. The joint can then be reassembled.

4.7 Installations should be pressure tested to ensure proper insertion of the push fittings and valves.

4.8 Installers should never use pliers or crush the push connect head of the fitting.



RETAIL OR WHOLESALE PACKAGING

Quick Fitting® UPC bar-coded retail and private label packaging is available. Consult our Retail Pricing guide or a Quick Fitting representative at (877) 238-4826 for more information.

MINIMUM ORDER SIZE

Minimum net order value is \$75.00.

FREIGHT POLICY

Unless otherwise indicated, products are shipped using carriers that will represent the best "Shipping Value" for our customers. Shipping Value is determined by the quality of performance and further measured by the pricing. Orders in excess of \$1,500 will ship by Quick Fitting's carrier of choice full freight allowed (FFA) to the contiguous United States.



We offer full color, high quality, bi-lingual packaging through our in-house printing department.

QUICK FITTING® PRODUCT RETURN POLICY

Purchasers wanting to return items for credit may do so under the following conditions:

1. All returns require a Return Goods Authorization (RGA) number, which is active for 30 days from the date of issue. Contact Quick Fitting's Customer Service RGA assistance. Returned items must have the RGA# clearly visible on the outside of the package, along with any related documents or they cannot be accepted.
2. All inventory returns for credit must be received no later than the ninth month of the calendar year and the credit will be issued only to the original purchaser.
3. Private label and soft private branded products are not returnable for credit.
4. A 25% restocking charge will apply to all returns.
5. All returned items must be returned in their original packaging. Returned items must be complete with all manuals, documentation, etc. Acceptable returns must be in their original packaging, unused, free from defects or scarring and be current, non-obsolete product.
6. Returns must be made within 100 days of the date indicated on the original Purchase Order.
7. Custom items may not be returned for credit.

Products must be shipped back to Quick Fitting freight prepaid. Quick Fitting will not be responsible for any freight charges, duties, or fees and no credit will be given for them. Returns should include a Return Goods Authorization (RGA) number and be addressed to:


Quick Fitting Holding Company, LLC.
Attn: Return Goods, [Your RGA #] 30 Plan Way Warwick, Rhode Island 02886

9. Returns not meeting the above terms and conditions will be rejected and either returned to sender or disposed of at the senders written direction.

Quick Fitting will not be responsible for inventory returns that are lost or damaged during the transportation of the inventory to our facility. The original shipper should insure all returns to the full value of the return.

PAYMENT TERMS

All invoices are due upon receipt, unless credit terms have been established.



UP TO 75 YEAR PROBITE+® PRODUCT WARRANTY

Quick Fitting Holding Company, LLC. hereafter referred to as "Quick Fitting", warrants its PROBITE PLUS® fittings and adapters to be free of defects in material and workmanship in water service and other approved materials, for a period of seventy-five (75) years from the date of purchase of the products. Quick Fitting makes no other warranties, express or implied. This limitation explicitly excludes any implied warranty of merchantability or fitness for a particular purpose. The sole remedy for breach of this warranty of material and workmanship or for negligence in manufacture or design is limited to replacement or repair or the fitting, at the sole option of Quick Fitting, of any defective parts which are returned to Quick Fitting (prepaid) within seventy-five (75) years of original purchase. PROBITE® fittings contain a replaceable O-ring seal, which is warranted for replacement in water service for a period of (75) seventy-five years. In no event shall Quick Fitting be liable for indirect, special, incidental or consequential damages of any kind. No allowance will be made for repairs made by the purchaser.

PROBITE+ VALVE & CONTROL WARRANTY

Supplier warrants its PROBITE+® push fit ball valves, stop valves and controls to be free of defects in material and workmanship in water service and other approved materials, for a period of seven (7) years from the date of purchase of the products. Supplier makes no other warranties, express or implied. This limitation explicitly excludes any implied warranty of merchantability or fitness for a particular purpose. The sole remedy for breach of this warranty of material and workmanship or for negligence in manufacture or design is limited to replacement or repair of the fitting, at the sole option of Supplier, of any defective parts which are returned to Supplier (prepaid) within seven (7) years of original purchase. In no event shall Supplier be liable for indirect, special, incidental or consequential damages of any kind. No allowance will be made for repairs made by the purchaser.

YEAR PROBITE+ SUPPLY LINE WARRANTY

Supplier warrants its PROBITE+® push fit supply line connectors to be free of defects in material and workmanship in water service and other approved materials, for a period of five (5) years from the date of purchase of the products. Supplier makes no other warranties, express or implied. This limitation explicitly excludes any implied warranty of merchantability or fitness for a particular purpose. The sole remedy for breach of this warranty of material and workmanship or for negligence in manufacture or design is limited to replacement or repair or the fitting, at the sole option of Supplier, of any defective parts which are returned to Supplier (prepaid) within five (5) years of original purchase. In no event shall Supplier be liable for indirect, special, incidental or consequential damages of any kind. No allowance will be made for repairs made by the purchaser.

THIS WARRANTY IS EXPRESSLY IN LIEU OF ANY AND ALL OTHER WARRANTIES AND REPRESENTATIONS, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE AND THE WARRANTY OF MERCHANTABILITY. THERE ARE NO WARRANTIES, WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF. THE EXCLUSIVE REMEDY FOR DEFECTIVE PRODUCTS SHALL BE ONLY AS STATED HEREIN.

Quick Fitting Holding Co. does not warrant the design, assembly or installation of the system using PROBITE+® or any other Quick Fitting brand, but only the components as stated herein. Quick Fitting is not responsible for improper design, assembly or installation, or for any modifications of the Quick Fitting products.

PROBITE⁺

BY QUICKFITTING[®]

RETAIL OR WHOLESALE PACKAGING

THE WARRANTY HEREIN IS VOID UPON:

- a)* Failure to follow any of the assembly or installation guidelines;
- b)* Alteration, misuse or abuse of, or damage to, any of the Supplier products;
- c)* Operation beyond the design range, excessive pressure or stress, or mishandling in any way;
- d)* Use other than for the intended purpose or in a manner other than as specified by Supplier;
- e)* Improper assembly, installation, service or maintenance;
- f)* Use on fluids that are abrasive, aggressive, acidic, imbalanced PH or containing metals or chemicals.

This Limited Warranty, and Quick Fitting's responsibility, may be further limited, but may not be expanded, by Quick Fitting's terms and conditions of sale, as set forth on the reverse side of the Quick Fitting invoice.

WARRANTY SERVICE INFORMATION

QUICKFITTING[®]

QUICK FITTING HOLDING COMPANY LLC.
30 PLAN WAY
WARWICK, RHODE ISLAND 02886
TEL: (877) 238-4826
FAX: (877) 258-4826



PROBITE⁺

BY  **QUICKFITTING[®]**

OVERBUILT, NOT OVERPRICED.